




Anti-Ligature Rx Series

MRX-L Anti-Ligature Lever ANSI Grade 1 Mortise Lockset



Heavy Duty Anti-Ligature Lever Mortise Lockset

- High quality Stainless steel components
- Meets or exceeds all performance testing of ANSI A156.13 Grade 1 mortise locks
- Integral part of your Health/Safety and Accident Prevention programs
- Mortise is UL listed for a 3 hour fire door
- Clutching mortise
- Field changeable clutching function can be activated for I/S and/or O/S levers
- Clutching mortise with Entrance or Exit - Lever rotation would be over 50° in the upward and downward directions. When locked the O/S lever (clutching side) is free rotating in the up or down position, I/S lever rotates upward and downward.
- Variety of mortise functions available to fit your unique security and safety requirements
- Heavy duty escutcheon and sectional trim available
- Handing field reversible



Optional Antimicrobial Coating

Introducing SANIGUARD™ antimicrobial protected products from TownSteel, equipped to inhibit the growth of bacteria, mold and mildew on treated surfaces. SANIGUARD™ is a surface-bonded, inorganic material, not a temporary disinfectant. SANIGUARD™ releases silver ions on demand when bacteria-laden moisture comes in contact with the treated surface. Independent, evidence-based testing has shown SANIGUARD™-treated products to be effective against a broad spectrum of potentially harmful microorganisms.


How To Order

Trim	MRX-E-L Anti-Ligature Lever Mortise - Escutcheon Trim MRX-S-L Anti-Ligature Lever Mortise - Sectional Trim
Function	F-02, F-04, F-05, F-13, F-20, F-26 (other functions available upon request)
Lever	Anti-Ligature Lever
T-Turn	Anti-Ligature Thumb Turn
Finish	US32D (630)


Example

1. Anti-Ligature Lever Mortise - Escutcheon Trim
2. Function
3. Saniguard coating (optional)

MRX-E-L-04-SG



MRX-K Anti-Ligature Knob ANSI Grade 1 Mortise Lockset




Heavy Duty Anti-Ligature Knob Mortise Lockset

- High quality Stainless steel components
- Meets or exceeds all performance testing of ANSI A156.13 Grade 1 mortise locks
- Integral part of your Health/Safety and Accident Prevention programs
- Mortise is UL listed for a 3 hour fire door
- Variety of mortise functions available to fit your unique security and safety requirements
- Heavy duty escutcheon and sectional trim available



Optional Antimicrobial Coating

Introducing SANIGUARD™ antimicrobial protected products from TownSteel, equipped to inhibit the growth of bacteria, mold and mildew on treated surfaces. SANIGUARD™ is a surface-bonded, inorganic material, not a temporary disinfectant. SANIGUARD™ releases silver ions on demand when bacteria-laden moisture comes in contact with the treated surface. Independent, evidence-based testing has shown SANIGUARD™-treated products to be effective against a broad spectrum of potentially harmful microorganisms.



How To Order

Trim	MRX-E-K Anti-Ligature Knob Mortise - Escutcheon Trim MRX-S-K Anti-Ligature Knob Mortise - Sectional Trim			
Function	F-02, F-04, F-05, F-13, F-20, F-26 (other functions available upon request)			
Knob	Anti-Ligature Knob			
T-Turn	Anti-Ligature Thumb Turn			
Finish	US32D (630)			
Hand	RH	LH	RHR	LHR

Example


MRX-E-K-04-RH-SG

1. Anti-Ligature Knob Mortise - Escutcheon Trim
2. Function
3. Hand
4. Saniguard coating (optional)

MRX-L/K-IP Anti-Ligature Lever

ANSI Grade 1 Mortise Lockset

Institutional Privacy Function (Patented Clutching Action)



Heavy Duty Anti-Ligature Lever Mortise Lockset w/ IP Function

- IP Function Description:
Latch bolt operated by lever from either side except when outside lever is locked by turn inside. Latch bolt by key outside with override of turn inside when manually held in locked position. Operating inside lever or closing door unlocks outside lever. Auxiliary dead latch. Lock will automatically unlock when door is closed (latch retraction will unlock mortise lock). Thumb turn on inside is independent of outside cylinder, outside cylinder may be unlocked by key even if inside thumb turn is held in the locked position.
- High quality Stainless steel components
- Meets or exceeds all performance testing of ANSI A156.13 Grade 1 mortise locks
- Integral part of your Health/Safety and Accident Prevention programs
- UL listed for a 3 hour fire door
- Clutching mortise
- Field changeable clutching function can be activated for I/S and/or O/S levers
- Lever rotation would be over 50° in the upward and downward directions.
- Variety of mortise functions available to fit your unique security and safety requirements
- Heavy duty escutcheon and sectional trim available
- Handing field reversible



Optional Antimicrobial Coating

Introducing SANIGUARD™ antimicrobial protected products from TownSteel, equipped to inhibit the growth of bacteria, mold and mildew on treated surfaces. SANIGUARD™ is a surface-bonded, inorganic material, not a temporary disinfectant. SANIGUARD™ releases silver ions on demand when bacteria-laden moisture comes in contact with the treated surface. Independent, evidence-based testing has shown SANIGUARD™-treated products to be effective against a broad spectrum of potentially harmful microorganisms.

How To Order

Trim	MRX-E Anti-Ligature Mortise - Escutcheon Trim MRX-S Anti-Ligature Mortise - Sectional Trim
Lever or Knob	L - Anti-Ligature Lever K - Anti-Ligature Knob
Function	F26 - Institutional Privacy Function
T-Turn	Anti-Ligature Thumb Turn
Finish	US32D (630)


Example

1. Anti-Ligature Mortise - Escutcheon Trim
2. Lever/Knob
3. Function
4. Saniguard coating (optional)

MRX-E-L-26-SG



CRX-L Anti-Ligature Lever Grade 2 Cylindrical Lockset




Heavy Duty Anti-Ligature Lever Grade 2 Cylindrical Lockset

- Design impedes ability to attach laces, cord, and line to the knob set
- Enhances opportunity to reduce accidents in health care facilities, detention centers and other potential high risk areas
- Designed to be an integral part of your Accident Prevention and Safety Program
- Heat treated steel spindles
- Outside clutching lever to protect lock against abuse
- Cylindrical is UL listed for a 3 hour fire door



Optional Antimicrobial Coating

Introducing SANIGUARD™ antimicrobial protected products from TownSteel, equipped to inhibit the growth of bacteria, mold and mildew on treated surfaces. SANIGUARD™ is a surface-bonded, inorganic material, not a temporary disinfectant. SANIGUARD™ releases silver ions on demand when bacteria-laden moisture comes in contact with the treated surface. Independent, evidence-based testing has shown SANIGUARD™-treated products to be effective against a broad spectrum of potentially harmful microorganisms.



How To Order

Trim	CRX-L Anti-Ligature Lever Grade 2 Cylindrical Lock
Function	F-75, F-76, F-81, F-84, F-86 (other functions available upon request)
Lever	Anti-Ligature Lever
Finish	US32D (630))

Example

1. Anti-Ligature
Lever Cylindrical

2. Function


3. Saniguard coating (optional)

CRX-L-81-SG



CRX-L-IC Anti-Ligature Lever

Grade 2 Cylindrical Lockset w/IC Core



Heavy Duty Anti-Ligature Lever Grade 2 Cylindrical Lockset w/IC

- Small format 6-pin or 7-pin Interchangeable (IC) core with Best keyway available.
- Design impedes ability to attach laces, cord, and line to the knob set
- Enhances opportunity to reduce accidents in health care facilities, detention centers and other potential high risk areas
- Designed to be an integral part of your Accident Prevention and Safety Program
- Heat treated steel spindles
- Outside clutching lever to protect lock against abuse
- UL listed for a 3 hour fire door



Optional Antimicrobial Coating

Introducing SANIGUARD™ antimicrobial protected products from TownSteel, equipped to inhibit the growth of bacteria, mold and mildew on treated surfaces. SANIGUARD™ is a surface-bonded, inorganic material, not a temporary disinfectant. SANIGUARD™ releases silver ions on demand when bacteria-laden moisture comes in contact with the treated surface. Independent, evidence-based testing has shown SANIGUARD™-treated products to be effective against a broad spectrum of potentially harmful microorganisms.

How To Order

Trim	CRX-L-IC Anti-Ligature Lever Grade 2 Cylindrical Lock w/IC
Function	F-81, F-84, F-86 (other functions available upon request)
Lever	Anti-Ligature Lever
Finish	US32D (630)


Example

CRX-L-IC-81-SG


1. Anti-Ligature
Lever Cylindrical

2. Function

3. Saniguard coating (optional)



CRX-K Anti-Ligature Knob Grade 1 Cylindrical Lockset



Heavy Duty Anti-Ligature Knob Grade 1 Cylindrical Lockset

All locks provided are non-handed and 3 hour UL fire listed. The latch and dead latch are sintered stainless steel. The lock chassis is heavy duty wrought steel construction. Springs are tensioned for knob use and provide long life and smooth operation. Knobs are of stainless steel construction. Locks meet all requirements for ANSI grade 1 series 4000 locks. Locks fit into a standard ANSI 161 door preparation.



Optional Antimicrobial Coating

Introducing SANIGUARD™ antimicrobial protected products from TownSteel, equipped to inhibit the growth of bacteria, mold and mildew on treated surfaces. SANIGUARD™ is a surface-bonded, inorganic material, not a temporary disinfectant. SANIGUARD™ releases silver ions on demand when bacteria-laden moisture comes in contact with the treated surface. Independent, evidence-based testing has shown SANIGUARD™-treated products to be effective against a broad spectrum of potentially harmful microorganisms.

How To Order

Trim	CRX-K Anti-Ligature Knob Grade 1 Cylindrical Lock
Function	F-75, F-76, F-81, F-84, F-86 (other functions available upon request)
Knob	Anti-Ligature Knob
Finish	US32D (630)


Example

CRX-K-84-SG

1. Anti-Ligature Knob Cylindrical
2. Function
3. Saniguard coating (optional)



DRX Anti-Ligature Thumb Turn Grade 1 Mortise Deadbolt Lockset




Heavy Duty Anti-Ligature Thumb Turn ANSI Grade 1 Mortise Deadbolt

DRX Series- Heavy duty commercial quality deadbolt that provides a positive deterrent to forced entry. The health safety thumb turn design enhances opportunity to reduce accidents in health care facilities, detention centers and potential high risk areas. It is also designed to be an integral part of your Accident Prevention and Safety Program.



Optional Antimicrobial Coating

Introducing SANIGUARD™ antimicrobial protected products from TownSteel, equipped to inhibit the growth of bacteria, mold and mildew on treated surfaces. SANIGUARD™ is a surface-bonded, inorganic material, not a temporary disinfectant. SANIGUARD™ releases silver ions on demand when bacteria-laden moisture comes in contact with the treated surface. Independent, evidence-based testing has shown SANIGUARD™-treated products to be effective against a broad spectrum of potentially harmful microorganisms.



How To Order

Trim	DRX Anti-Ligature Knob Deadbolt Lock
Function	F15, F17
T-Turn	Anti-Ligature Thumb Turn
Finish	US32D (630)


Example

1. Anti-Ligature Knob Deadbolt
2. Function
3. Saniguard coating (optional)

DRX-17-SG



RRX-K Anti-Ligature Knob Rejuvenator Retrofit Mortise Kit



One Box

Compatible with all brands* including:

- + Arrow + PDQ + Schlage
- + Best + Marks + Falcon
- + Corbin + Sargent + Yale

NOTE: Through bolt mortise case applications only

One Stop

Never make 2 trips to fix one lock...
Get the job done the first time

One Fix

The REJUVENATORx works as an all-in-one retrofit kit for your facility



Optional Antimicrobial Coating

Introducing SANIGUARD™ antimicrobial protected products from TownSteel, equipped to inhibit the growth of bacteria, mold and mildew on treated surfaces. SANIGUARD™ is a surface-bonded, inorganic material, not a temporary disinfectant. SANIGUARD™ releases silver ions on demand when bacteria-laden moisture comes in contact with the treated surface. Independent, evidence-based testing has shown SANIGUARD™-treated products to be effective against a broad spectrum of potentially harmful microorganisms.

How To Order	
Trim	RRX-E-K Anti-Ligature Knob Rejuvenator - Escutcheon Trim RRX-S-K Anti-Ligature Knob Rejuvenator - Sectional Trim
Knob	Anti-Ligature Knob
T-Turn	TX - Anti-Ligature Thumb Turn
Finish	US32D (630)
<p>Example RRX-E-K-TX-SG</p> <p>1. Anti-Ligature Knob Rejuvenator-Escutcheon Trim _____</p> <p>2. Thumb Turn _____</p> <p>3. Saniguard coating (optional) _____</p>	

*All brand names and trademarks are the property of their respective owners.



707 N. Barranca., Bldg #6 Covina, CA 91723

Tel: 626-858-5080 Fax: 626-858-3393

Web: www.townsteel.com Email: sales@townsteel.com